

# 1. Air Studios

## 1. Protocols Specification

These are our standard configurations. Each is capable of being upgraded to the maximum number of tracks. We also combine interfaces e.g. half 192 I/O and half Prism ADA8. Contact us for rates and availability.

### 2. HD4 Accel(2) 48 I/O

G5 Dual 2Ghz with Expansion Chassis  
Storcase FW800 (2) & U160 SCSI (2)  
Digidesign 192 I/O (4)

### 3. HD3 Accel(2) 48 I/O

G5 Dual 2Ghz  
Storcase FW800 (2)  
Digidesign 192 I/O (4)

### 4. HD3 Accel(1) 48 I/O

G5 Dual 2Ghz  
Storcase FW800 (2)  
Digidesign 192 I/O (4)

### 5. HD3 Accel 32 I/O

G5 Dual 2Ghz  
Storcase FW800 (2)  
Prism ADA8 (4)

### 6. HD3 Accel 32 I/O

G5 Dual 2Ghz  
Storcase FW800 (2)  
Prism ADA8 (4)

### 7. HD2 Accel 56 I/O

G5 Dual 2.5GMhz  
Storcase FW800 (2)  
SSL Delta Link MADI HD

Notes:

" Storcase bays are fully compatible with Rorke and Glyph drives.

" Only Rig 1 supports SCSI other than by special request.

## 8. Hardware, Operating Systems & Software

### Versions

Our Protocols rigs run OSX exclusively. OS9 information for reference only.

## 9. Hardware Versions Jan 07

\* only included on request

## 10. Software Versions Jan 07

\* only included on request

## 11. No cost options

The following items are available at no extra charge with all rigs.

Please specify before the session:

Dell 20", LaCie 20" or Sony 18" LCD

Backup drive - AIT1, AIT2 or DLT

Removable drive - DVD-R, CDR, Jaz, Zip, Floppy

Midi Interface - Studio 4, Unitor II

Plug-ins - see the Toy Cupboard for current selection.

